

ADIRONDACK RUNNER 6CM


PRODUCT NUMBER # 504



- Gently undulating surfaces and edges create the timeless, old-world look of quarried basalt setts
- Designed for the traditional and efficient random runner bond installation pattern, with common stone widths and various lengths
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look and minimize furniture wobble
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The Adirondack series features rough shapes, undulating surfaces, and rumpled edges which recall the timeless appeal of quarried basalt setts. Designed for random runner patterns, Adirondack pavers install quickly and creates the aesthetic of historical Old World pavements. A Jumper is also available to break bond lines and expand scale. Adirondack is suitable for Rumbling, which weathers the paver stones by breaking and softening edges and corners.

STONE(S)



			A	B	C	D
Height	<i>in</i>	In.	2.36	2.36	2.36	2.36
	<i>mm</i>	MM.	60	60	60	60
Length	<i>in</i>	IN.	4.69	6.69	7.81	9.37
	<i>mm</i>	MM	119	170	198.3	238
Width	<i>in</i>	IN	5.51	5.51	5.51	5.51
	<i>mm</i>	MM	140	140	140	140
Units	<i>/pl</i>	QTY	100	70	120	100

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2940 lbs
Sq Ft/Pallet	105 sq.ft.



Distributed by:



www.aspent.com

(800) 869-9600

www.pavestone.com

ADIRONDACK JUMPER 6CM


PRODUCT NUMBER # 514



- Gently undulating surfaces and edges create the timeless, old-world look of quarried basalt setts
- Designed to bridge courses in the traditional random runner bond installation pattern
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look and minimize furniture wobble
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The Adirondack series features rough shapes, undulating surfaces, and rumpled edges which recall the timeless appeal of quarried basalt setts. Designed for random runner patterns, Adirondack pavers install quickly and creates the aesthetic of historical Old World pavements. A Jumper is also available to break bond lines and expand scale. Adirondack is suitable for Rumbling, which weathers the paver stones by breaking and softening edges and corners.

STONE(S)



		Jumper	
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	11.02
	<i>mm</i>	MM	280
Width	<i>in</i>	IN	9.37
	<i>mm</i>	MM	238
Units	<i>/pl</i>	QTY	150

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3052 lbs
Sq Ft/Pallet	109 sq.ft.



Distributed by:

www.aspent.com (800) 869-9600

www.pavestone.com

ADIRONDACK RUNNER MECH 6CM


PRODUCT NUMBER # 524



- Gently undulating surfaces and edges create the timeless, old-world look of of quarried basalt setts
- Designed for mechanical installation
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look and minimize furniture wobble
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The Adirondack series features rough shapes, undulating surfaces, and rumpled edges which recall the timeless appeal of quarried basalt setts. Designed for random runner patterns, Adirondack pavers install quickly and creates the aesthetic of historical Old World pavements. A Jumper is also available to break bond lines and expand scale. Adirondack is suitable for Rumbling, which weathers the paver stones by breaking and softening edges and corners.

STONE(S)



			A	B	C	D
Height	<i>in</i>	In.	2.36	2.36	2.36	2.36
	<i>mm</i>	MM.	60	60	60	60
Length	<i>in</i>	IN.	4.69	6.69	7.81	9.37
	<i>mm</i>	MM	119	170	198.3	238
Width	<i>in</i>	IN	5.51	5.51	5.51	5.51
	<i>mm</i>	MM	140	140	140	140
Units	<i>/pl</i>	QTY	60	60	120	120

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2968 lbs
Sq Ft/Pallet	106 sq.ft.



Distributed by:

www.aspent.com (800) 869-9600

www.pavestone.com