

- Lightly crinkled surfaces and notchy edges create an understated yet natural look
- Designed to be installed in an efficient repeating runner or ashlar pattern, with equal numbers of 1/2, square, and 3/2 stones
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)

				7x14	14x14	14x21
	Height	in	ln.	2	2	2
\frown		mm	MM.	50.8	50.8	50.8
	Length	in	IN.	7	14	21
		mm	MM	178	356	534
	Width	in	IN	14	14	14
		mm	MM	356	356	356
	Units	/pl	QTY	24	24	24

NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET LAYOUT



PALLET SPECS		
Pallet Weight	2285 lbs	
Sq Ft/Pallet	98 sq.ft.	







- Lightly crinkled surfaces and notchy edges create an understated yet natural look
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)

NOTES

				7x14
	Height	in	ln.	2
		mm	MM.	50.8
	Length	in	IN.	7
		mm	MM	178
	Width	in	IN	14
		mm	MM	356
	Units	/pl	QTY	120

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural

materials, which vary in color, and Portland cement, which may effloresce - any

PALLET LAYOUT



PALLET SPECS Pallet Weight 1882 lbs Sq Ft/Pallet 82 sq.ft.

Creating Beautiful Landscapes®

implied warranty to the contrary is disclaimed.





- Lightly crinkled surfaces and notchy edges create an understated yet natural look
- Square shape easily forms stacked and runner patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)

Height
Length
Width

			14x14
Height	in	ln.	2
	mm	MM.	50.8
Length	in	IN.	14
	mm	MM	356
Width	in	IN	14
	mm	MM	356
Units	/pl	QTY	60

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS			
Pallet Weight	1882 lbs		
Sq Ft/Pallet	82 sq.ft.		







- Lightly crinkled surfaces and notchy edges create an understated yet natural look
- Versatile 3:2 shape easily forms stacked, runner, and herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)

			14x21
Height	in	ln.	2
	mm	MM.	50.8
Length	in	IN.	21
	mm	MM	534
Width	in	IN	14
	mm	MM	356
Units	/pl	QTY	40

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS			
Pallet Weight	1882 lbs		
Sq Ft/Pallet	82 sq.ft.		



