

CITYSCAPE ADA 6X12 6CM

PRODUCT NUMBER # 110126



- ADA-compliant truncated domes provide a detectable warning surface for the visually impaired
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



	6x12		
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	11.81
	<i>mm</i>	MM	300
Width	<i>in</i>	IN	5.91
	<i>mm</i>	MM	150
Units	<i>/pl</i>	QTY	200

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight 2800 lbs

Sq Ft/Pallet 96 sq.ft.

PAVESTONE
Creating Beautiful Landscapes®

Distributed by:

ASIP
ENTERPRISES

www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE SUNTERRA 6CM


PRODUCT NUMBER # 153



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		SunTerra	
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	8.85
	<i>mm</i>	MM	224.8
Width	<i>in</i>	IN	7.78
	<i>mm</i>	MM	197.5
Units	<i>/pl</i>	QTY	210

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight 2714 lbs

Sq Ft/Pallet 75 sq.ft.



Distributed by:

ASIP
ENTERPRISES

www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE DECORA 6CM


PRODUCT NUMBER # 156



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation, proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

The Cityscape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, Cityscape pavers create interest, durability, and texture without high installation cost.


STONE(S)



Decora

Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	9.06
	<i>mm</i>	MM	230
Width	<i>in</i>	IN	5.51
	<i>mm</i>	MM	140
Units	<i>/pl</i>	QTY	350

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2800 lbs
Sq Ft/Pallet	100 sq.ft.



Distributed by:



www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE DECORA 6CM


PRODUCT NUMBER # 156Z



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation, proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

The Cityscape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, Cityscape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Decora	
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	9.06
	<i>mm</i>	MM	230
Width	<i>in</i>	IN	5.51
	<i>mm</i>	MM	140
Units	<i>/pl</i>	QTY	400

PALLET LAYOUT

□

NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3200 lbs
Sq Ft/Pallet	114 sq.ft.



www.pavestone.com

CITYSCAPE DECORA EDGER 6CM


PRODUCT NUMBER # 157



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Edger	
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	9.06
	<i>mm</i>	MM	230
Width	<i>in</i>	IN	4.41
	<i>mm</i>	MM	112
Units	<i>/pl</i>	QTY	400

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2800 lbs
Sq Ft/Pallet	100 sq.ft.



Distributed by:

ASIP
ENTERPRISES

www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE DECORA 8CM


PRODUCT NUMBER # 158



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation, proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for heavy vehicular applications, such as municipal streets and minor arterials, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The Cityscape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, Cityscape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Decora	
Height	<i>in</i>	In.	3.15
	<i>mm</i>	MM.	80
Length	<i>in</i>	IN.	9.06
	<i>mm</i>	MM	230
Width	<i>in</i>	IN	5.51
	<i>mm</i>	MM	140
Units	<i>/pl</i>	QTY	280

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2880 lbs
Sq Ft/Pallet	80 sq.ft.



Distributed by:



www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE ADA 4X8 6CM


PRODUCT NUMBER # 200



- ADA-compliant truncated domes provide a detectable warning surface for the visually impaired
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



	4x8		
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	7.87
	<i>mm</i>	MM	200
Width	<i>in</i>	IN	3.94
	<i>mm</i>	MM	100
Units	<i>/pl</i>	QTY	480

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2968 lbs
Sq Ft/Pallet	103 sq.ft.

PAVESTONE
Creating Beautiful Landscapes®

Distributed by:

ASIP
ENTERPRISES

www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE BISHOP'S HAT 6CM

PRODUCT NUMBER # 271




- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed to miter and create a variety of geometric patterns with 100mm raster CityStone and Holland pavers
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

The Cityscape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, Cityscape pavers create interest, durability, and texture without high installation cost.


STONE(S)

Bishop's Hat



Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	11.13
	<i>mm</i>	MM	282.8
Width	<i>in</i>	IN	7.38
	<i>mm</i>	MM	187.4
Units	<i>/pl</i>	QTY	240

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight 2464 lbs

Sq Ft/Pallet 88 sq.ft.

PAVESTONE
Creating Beautiful Landscapes®

Distributed by:

ASIP
ENTERPRISES

www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE TEXASSTONE 6CM


PRODUCT NUMBER # 356



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation, proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScope series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScope pavers create interest, durability, and texture without high installation cost.

STONE(S)



TexasStone			
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	8.86
	<i>mm</i>	MM	225
Width	<i>in</i>	IN	7.71
	<i>mm</i>	MM	195.9
Units	<i>/pl</i>	QTY	320

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS


Pallet Weight	2240 lbs
Sq Ft/Pallet	80 sq.ft.



www.pavestone.com

CITYSCAPE PENTAGON 8CM

PRODUCT NUMBER # 564



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed to be installed in a Cairo pentagonal pattern
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



			A	B	C	D
Height	<i>in</i>	In.	3.15	3.15	3.15	3.15
	<i>mm</i>	MM.	80	80	80	80
Length	<i>in</i>	IN.	20.8	20.8	20.8	20.8
	<i>mm</i>	MM	527.9	527.9	527.9	527.9
Width	<i>in</i>	IN	16.4	16.4	16.4	16.4
	<i>mm</i>	MM	416.4	416.4	416.4	416.4
Units	<i>/pl</i>	QTY	10	10	10	10

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2271 lbs
Sq Ft/Pallet	60 sq.ft.



Distributed by:



www.aspent.com

(800) 869-9600

www.pavestone.com

CITYSCAPE ZURICH 6CM


PRODUCT NUMBER # 566



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation, proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The Cityscape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, Cityscape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Zurich	
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	8.62
	<i>mm</i>	MM	219
Width	<i>in</i>	IN	7.45
	<i>mm</i>	MM	189.3
Units	<i>/pl</i>	QTY	300

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2968 lbs
Sq Ft/Pallet	106 sq.ft.



www.pavestone.com

CITYSCAPE ZURICH 8CM


PRODUCT NUMBER # 568



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation, proprietary shape provides outstanding interlock to resist rotation and displacement
- Suitable for heavy vehicular applications, such as municipal streets and minor arterials, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The Cityscape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, Cityscape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Zurich	
Height	<i>in</i>	In.	3.15
	<i>mm</i>	MM.	80
Length	<i>in</i>	IN.	8.62
	<i>mm</i>	MM	219
Width	<i>in</i>	IN	7.45
	<i>mm</i>	MM	189.3
Units	<i>/pl</i>	QTY	240

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	3060 lbs
Sq Ft/Pallet	85 sq.ft.



www.pavestone.com

CITYSCAPE SYMETRY 6CM


PRODUCT NUMBER # 656



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation or to create a variety of geometric patterns with 75mm raster CityStone pavers
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Symetry	
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	11.96
	<i>mm</i>	MM	303.8
Width	<i>in</i>	IN	6.12
	<i>mm</i>	MM	155.4
Units	<i>/pl</i>	QTY	280

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight 2268 lbs

Sq Ft/Pallet 81 sq.ft.



Distributed by:




www.aspent.com (800) 869-9600

www.pavestone.com

CITYSCAPE SYMETRY 8CM


PRODUCT NUMBER # 658



- Smooth surfaces and classical chamfers define each stone to create texture and visual structure with timeless appeal
- Designed for mechanical installation or to create a variety of geometric patterns with 75mm raster CityStone pavers
- Suitable for medium vehicular applications, such as residential streets and commercial parking lots, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


The CityScape series delivers when cost-effective geometric design is specified. United by smooth surfaces, a joint which highlights shapes, and excellent interlock, CityScape pavers create interest, durability, and texture without high installation cost.

STONE(S)



		Symetry	
Height	<i>in</i>	In.	3.15
	<i>mm</i>	MM.	80
Length	<i>in</i>	IN.	11.96
	<i>mm</i>	MM	303.8
Width	<i>in</i>	IN	6.12
	<i>mm</i>	MM	155.4
Units	<i>/pl</i>	QTY	224

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight 2340 lbs

Sq Ft/Pallet 65 sq.ft.



Distributed by:

www.aspent.com (800) 869-9600

www.pavestone.com