

# COPING BULLNOSE 6CM


PRODUCT NUMBER # 301



- Smooth and rounded surfaces are ideal for bare feet
- Designed to be installed with 3/8in mortar joints
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure


Concrete coping is the perfect complement to new and overlay pool deck applications and is available in a variety of paver shapes to match common paver heights. Made with the same materials and manufacturing process, the resulting texture and color match make concrete coping the best choice for seamless poolside aesthetics. Some shapes are suitable for Rumbling, which weathers the stones by breaking and softening paver edges and corners.

## STONE(S)



Coping			
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	9
	<i>mm</i>	MM	228.6
Width	<i>in</i>	IN	3.54
	<i>mm</i>	MM	90
Units	<i>/pl</i>	QTY	300

## PALLET LAYOUT



## NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

## PALLET SPECS

<b>Pallet Weight</b>	1440 lbs
<b>Sq Ft/Pallet</b>	87.5 sq.ft.



[www.pavestone.com](http://www.pavestone.com)

# COPING BULLNOSE DROP 6CM


PRODUCT NUMBER # 302



- Smooth and rounded surfaces are ideal for bare feet
- Designed to be installed with 3/8in mortar joints
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure


Concrete coping is the perfect complement to new and overlay pool deck applications and is available in a variety of paver shapes to match common paver heights. Made with the same materials and manufacturing process, the resulting texture and color match make concrete coping the best choice for seamless poolside aesthetics. Some shapes are suitable for Rumbling, which weathers the stones by breaking and softening paver edges and corners.

## STONE(S)



Coping			
Height	<i>in</i>	In.	2.36
	<i>mm</i>	MM.	60
Length	<i>in</i>	IN.	14
	<i>mm</i>	MM	356
Width	<i>in</i>	IN	3.86
	<i>mm</i>	MM	98
Units	<i>/pl</i>	QTY	180

## PALLET LAYOUT



## NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

## PALLET SPECS

<b>Pallet Weight</b>	1661 lbs
<b>Sq Ft/Pallet</b>	52.5 sq.ft.



Distributed by:

**ASIP**  
ENTERPRISES

www.aspent.com (800) 869-9600

www.pavestone.com

## COPING REMODEL 3CM

PRODUCT NUMBER # 303



- Smooth and rounded surfaces are ideal for bare feet
- Designed to be installed with 3/8in mortar joints
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure


Concrete coping is the perfect complement to new and overlay pool deck applications and is available in a variety of paver shapes to match common paver heights. Made with the same materials and manufacturing process, the resulting texture and color match make concrete coping the best choice for seamless poolside aesthetics. Some shapes are suitable for Rumbling, which weathers the stones by breaking and softening paver edges and corners.

### STONE(S)



				Coping
Height	<i>in</i>	In.		1.38
	<i>mm</i>	MM.		35
Length	<i>in</i>	IN.		9.09
	<i>mm</i>	MM		231
Width	<i>in</i>	IN		3.62
	<i>mm</i>	MM		92
Units	<i>/pl</i>	QTY		384

### PALLET LAYOUT



### NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

### PALLET SPECS

Pallet Weight	1960 lbs
Sq Ft/Pallet	115 sq.ft.

**PAVESTONE**  
Creating Beautiful Landscapes®

Distributed by:  
**ASIP**  
**ENTERPRISES**  
www.aspent.com (800) 869-9600

www.pavestone.com