


- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for heavy vehicular applications, such as municipal streets and minor arterials, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2995 lbs
Sq Ft/Pallet	86 sq.ft.







- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for heavy vehicular applications, such as municipal streets and minor arterials, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782


Rec

STONE(S)



			Nec
Height	in	ln.	3.15
	mm	MM.	80
Length	in	IN.	18
	mm	MM	457.2
Width	in	IN	6
	mm	MM	152.4
Units	/pl	QTY	80

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2232 lbs
Sq Ft/Pallet	60 sq.ft.








- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for heavy vehicular applications, such as municipal streets and minor arterials, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

Height in In. 3.15 mm MM. 80



Height	in	ln.	3.15
	mm	MM.	80
Length	in	IN.	7.87
	mm	MM	200
Width	in	IN	3.94
	mm	MM	100
Units	/pl	QTY	384

PALLET LAYOUT



NOTES

STONE(S)

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2988 lbs
Sq Ft/Pallet	83 sq.ft.








- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Linear shape easily forms stacked, runner, and a variety of herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)



			3x18
Height	in	ln.	3.15
	mm	MM.	80
Length	in	IN.	18
	mm	MM	457.2
Width	in	IN	3
	mm	MM	76.2
Units			

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2016 lbs
Sq Ft/Pallet	55 sq.ft.







- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Versatile 2:1 shape easily forms stacked, runner, basketweave, and herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

9x18

3.15

80

18

9

QTY


/pl

457.2


228.6

48

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

Units

PALLET SPEC	CS
Pallet Weight	2016 lbs
Sq Ft/Pallet	55 sq.ft.









- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Square shape easily forms stacked and runner patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

18x18

STONE(S)



PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS

Pallet Weight	2688 lbs
Sq Ft/Pallet	72 sq.ft.








- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Linear shape easily forms stacked, runner, and a variety of herringbone patterns
- Suitable for light vehicular applications, such as residential driveways and parking stalls, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)



			3x18
Height	in	ln.	3.94
	mm	MM.	100
Length	in	IN.	18
	mm	MM	457.2
Width	in	IN	3
	mm	MM	76.2
Units	/pl	QTY	108

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	1899 lbs
Sq Ft/Pallet	41 sq.ft.








- Smooth surfaces, finely chamfered edges, and tight joints combine to create a sleek and contemporary look
- Linear shape easily forms stacked, runner, and a variety of herringbone patterns
- Suitable for behind-curb, pedestrian applications, such as patios and sidewalks, with proper pavement design and installation
- Joints and surfaces meet ADA gap and lippage requirements
- Made of durable concrete that won't decay, distort, or attract pests. Iron oxide pigments won't fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936 and C1782

STONE(S)



			5x24
Height	in	ln.	3.94
	mm	MM.	100
Length	in	IN.	24
	mm	MM	609.6
Width	in	IN	5
Width	in mm	IN MM	5 127

PALLET LAYOUT



NOTES

Weights are approximate and do not include shipping pallet. Installation to applicable ICPI standards is required for warranty coverage. Made with natural materials, which vary in color, and Portland cement, which may effloresce - any implied warranty to the contrary is disclaimed.

PALLET SPECS	
Pallet Weight	2722 lbs
Sg Ft/Pallet	59 sa.ft.



