

**PRODUCT INFORMATION**



Renowned for its rough-hewn face and earthen tones, the Diamond Pro Stone Cut<sup>®</sup> retaining wall system imparts a rich appearance not commonly found in commercial retaining walls. The performance characteristics make it the proven solution for tall walls, Department of Transportation projects, commercial developments, water applications and other critical wall needs.

- Original rear-lip block
- Can be used to build gravity walls up to 4 feet high, including buried course, but excluding the cap\*
- Taller walls can be built using geosynthetic reinforcement or the Anchorplex<sup>™</sup> retaining wall system when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 4 feet\*\*
- Minimum inside radius, measured on the base course to the front of the units: 7 feet\*\*
- ICC evaluated

*\*This height assumes cores are filled with drainage aggregate, level backfill and clean, compacted sand or gravel and no surcharge.*

*\*\*May vary depending on the installation pattern.*





# Diamond Pro Stone Cut<sup>®</sup>

MULTIPIECE RETAINING WALL SYSTEM

## PRODUCT INFORMATION



See [anchorwall.com](http://anchorwall.com)  
for installation instructions.

\*Product dimensions are height by face length by depth. Actual dimensions and weights may vary from these approximate values due to variations in manufacturing processes. Specifications may change without notice. See your Anchor representative for details, color options, block dimensions and additional information.



Stretcher Units	Large	Medium	Small
Approximate Dimensions*	8" x 18" x 12"	8" x 11" x 12"	8" x 7" x 12"
Approximate Weight*	77 lbs.	45 lbs.	34 lbs.
Coverage	1.00 sq. ft.	0.61 sq. ft.	0.39 sq. ft.
Setback/System Batter	1"/7.1°	1"/7.1°	1"/7.1°



Accessory Units	Cap	Corner
Approximate Dimensions*	Front, 4" x 17 1/4" x 10 3/8" Back, 4" x 12" x 10 3/8"	8" x 18" x 9" 8" x 18" x 9"
Approximate Weight*	47 lbs.	101 lbs.
Coverage	1.22 lin. ft.	1.50 sq. ft.

© 2013 Anchor Wall Systems, Inc. The Diamond Pro Stone Cut<sup>®</sup> wall system is manufactured under license from Anchor Wall Systems, Inc. (AWS). The "Anchor A" and "Anchor Build Something Beautiful" logos, "Anchorplex" and "Diamond Pro Stone Cut" are trademarks of AWS. The wall system blocks are covered by the AWS Limited Warranty. For a complete copy, visit your local dealer or see [anchorwall.com](http://anchorwall.com).

Anchor Wall Systems, Inc., 5959 Baker Road, Suite 390, Minnetonka, MN 55345.

73.3066.2 01/13 4015



## LOCATIONS & CONTACT INFO

### ASP ENTERPRISES

aspent.com  
salesasp@aspent.com

### BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com  
salesbcs@bowmanconstructionsupply.com

### QUICK SUPPLY CO.

quicksupplyco.com  
salesquick@quicksupplyco.com

### CASCADE GEOSYNTHETICS

cascadageos.com  
salescascade@cascadageos.com

**St. Louis, MO** 636.343.4357  
**Omaha, NE** 402.861.8579  
**Kansas City, MO** 816.554.1191  
**Wichita, KS** 316.393.1554

**Denver, CO** 303.696.8960  
**Colorado Springs, CO** 719.257.7840  
**Loveland, CO** 970.535.0863

**Des Moines, IA**  
515.289.1271

**Portland, OR**  
971.339.1020

## SOLUTIONS WE SUPPLY

### GEOSYNTHETICS

Filter Fabrics  
Stabilization Fabrics

#### Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

#### Specialty Fabrics

#### Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

### SEDIMENT CONTROL

#### Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

#### Ditch Checks

- Triangle Silt Dike
- GeoRidge

#### Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

#### Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

#### Sediment Basin Skimmers

#### Dewatering Bags

#### Trackout Control

- FODS
- Rumble Grates

#### Turbidity Curtains

### EROSION CONTROL

#### Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

#### High-Performance Hydraulically Applied Products

- BFM
- FGM
- Additives & Tackifiers

#### Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

#### Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

#### Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

#### Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

### STORMWATER MANAGEMENT

#### Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

#### Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

#### Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

#### Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

#### Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

### SPECIALTY

#### Natural & Synthetic Coir Fiber Logs

#### Vegetated Reinforced Soil Slopes

#### Soil Anchors

#### Root Barrier System

#### AquaBlok

#### Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

**GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT  
SEDIMENT CONTROL | REVEGETATION | HARDSCAPES**