




ANCHOR[®]
BUILD SOMETHING BEAUTIFUL

Windsor Stone[®]
RETAINING WALL SYSTEM

PRODUCT INFORMATION




The traditional face style of the Windsor Stone[®] retaining wall system gives any garden wall a timeless appearance. Lightweight and easy to handle, the Windsor Stone block is the perfect choice for projects up to 2 feet high, including the buried course, but excluding the cap.* A matching cap completes the system.

Planter rings, raised gardens, terraces and retaining walls, you name it - projects look great with the Windsor Stone wall system. Plus, it features the rear-lip locator for quick and easy installation.

**No pins. No mortar.
No misalignments.**

Rear-lip locator, invented by Anchor, makes installation fast and accurate. Anchor - the original rear-lip product!



**This height assumes level backfill and clean, compacted sand or gravel and no surcharge.*

PRODUCT INFORMATION

Wall Block Quantities

Wall Height*	Number of Courses**	Wall Length				
		5'	10'	15'	20'	50'
0'8"	2	11	21	32	42	105
1'0"	3	16	32	47	63	157
1'4"	4	21	42	63	84	209
1'8"	5	27	53	79	105	261
2'0"	6	32	63	94	125	313

Cap Block Quantities

Wall Type	Wall Length				
	5'	10'	15'	20'	50'
Straight	6	12	18	23	57
Curved	7	14	20	26	63

*Including buried base course

If the section is one, two or three courses high, **bury one-half of the first course for walls of any size. If the section is four courses or higher, the full first course must be buried.



Units	Wall	Cap
Approximate Dimensions***	4" x 11 ⁵ / ₈ " x 7"	Front, 2 ³ / ₈ " x 12" x 7 ¹ / ₂ " Back, 2 ³ / ₈ " x 9" x 7 ¹ / ₂ "
Approximate Weight***	22 lbs.	15 lbs.
Coverage	0.32 sq. ft.	0.88 lin. ft.
Setback/System Batter	3/4"/10.6°	
Minimum Inside Radius	4'0"	
Minimum Outside Radius	1'6"	


***Product dimensions are height by face length by depth. Actual dimensions and weights may vary from these approximate values due to variations in manufacturing processes. Specifications may change without notice. See your Anchor representative for details, color options, block dimensions and additional information.

© 2011 Anchor Wall Systems, Inc. The Windsor Stone[®] wall system is manufactured under license from Anchor Wall Systems, Inc. (AWS). The "Anchor A" and "Anchor Build Something Beautiful" logos and "Windsor Stone" are trademarks of AWS. The wall system blocks are covered by the AWS Limited Warranty. For a complete copy, visit your local dealer or see anchorwall.com.

Anchor Wall Systems, Inc., 5959 Baker Road, Suite 390, Minnetonka, MN 55345.


A&B0810

71.3063.1 08/11 4015



See anchorwall.com for installation instructions.

The rear-lip locator makes alignment easy. Just stack each block with the rear lip facing down on the course below and pull block forward until the lip touches the back of the lower block.



ANCHOR[®]
BUILD SOMETHING BEAUTIFUL



LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

CASCADE GEOSYNTHETICS

cascadageos.com
salescascade@cascadageos.com

St. Louis, MO 636.343.4357
Omaha, NE 402.861.8579
Kansas City, MO 816.554.1191
Wichita, KS 316.393.1554

Denver, CO 303.696.8960
Colorado Springs, CO 719.257.7840
Loveland, CO 970.535.0863

Des Moines, IA
515.289.1271

Portland, OR
971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics
Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

**GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
SEDIMENT CONTROL | REVEGETATION | HARDSCAPES**